

<b>Product Name</b>	5000 Watt	7500 Watt
<b>Model Number</b>	986054	986055
<b>UPC Code</b>	751058035222	751058035246
<b>Performance/Specifications</b>		
<b>Running Watts</b>	5000	7500
<b>Starting Watts</b>	6250	9375
<b>Rated Voltage</b>	120/240 V	120/240 V
<b>Rated Frequency</b>	60 HZ	60 HZ
<b>Rated Amps at 120 V AC</b>	41.6	62.5
<b>Rated Amps at 240 V AC</b>	20.8	31.3
<b>Rated Amps at 12 V AC</b>	N/A	N/A
<b>Run Time at 50% Load</b>	12.5 Hrs	12 Hrs
<b>Engine</b>		
<b>Manufacturer</b>	Subaru® EX	Honda® GX
<b>Horsepower/ Displacement</b>	287 cc	390 cc
<b>Starting System</b>	Recoil	Recoil/Electric
<b>Fuel Capacity</b>	6 Gal	8 Gal
<b>Low Oil Sensor/Shutdown</b>	Yes	Yes
<b>Outlets and Circuit Protection</b>		
<b>120 V AC</b>	4-120 V Duplex, 20 A GFCI	4-120 V Duplex, 20 A GFCI
<b>120/240 V AC</b>	1 120/240V Twist Lock 20A	1 120/240V Twist Lock 30A
<b>12 V DC</b>	N/A	N/A
<b>Circuit Breaker/Type</b>	Push Button	Push Button
<b>Outlet Rain Protection</b>	Rubber Flaps	Rubber Flaps
<b>Indicators</b>		
<b>Fuel Valve</b>	Yes	Yes
<b>Engine On/Off</b>	Yes	Yes
<b>Smart Throttle Switch</b>	N/A	N/A
<b>Choke</b>	Manual Choke	Manual Choke
<b>Alternator Type</b>	Brush-Type	Brush-Type
<b>Voltage Regulation</b>	Frequency-Compensating AVR	Frequency-Compensating AVR
<b>Chassis</b>		
<b>Type</b>	Perfect Balance™ Hand Truck Frame	Wheel Barrow Frame
<b>Frame Structure</b>	Tubular Frame - 1 1/4"	Tubular Frame - 1 1/4"
<b>Handle Type</b>	Fold Down - 1 1/4"	Fold Down - 1 1/4"
<b>Wheel Type</b>	10" x 3" Semi-Pneumatic Steel Rim	10" x 3" Semi-Pneumatic Steel Rim
<b>Unit Dimensions</b>		
<b>Overall Length</b>	26.5"	31"
<b>Overall Width</b>	20"	20.5
<b>Overall Height</b>	23"	24
<b>Dry Weight</b>	160	221
<b>Shipping Dimensions</b>		
<b>Length</b>	23	23
<b>Width</b>	15	15
<b>Height</b>	20	20
<b>Weight</b>	175	230
<b>Warranty</b>		
	3 Year Limited Consumer / 90 Day Limited Commercial	