

# SAFETY DATA SHEET

## BATTERY FLUID,ACID

CHONGQING LIYANG INDUSTRY CO., LTD.

# SDS

- According to GHS (Seventh Revised Edition)

### Section 1 Product and Company Identification

#### > Product Identifier

|                   |                    |
|-------------------|--------------------|
| Product Name      | BATTERY FLUID,ACID |
| Synonyms          | -                  |
| CAS No.           | -                  |
| EC No.            | -                  |
| Molecular Formula | -                  |

#### > Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

|                          |                              |
|--------------------------|------------------------------|
| Relevant Identified Uses | Please consult manufacturer. |
| Uses Advised Against     | Please consult manufacturer. |

#### > Details of the Supplier of the Safety Data Sheet

|                     |  |
|---------------------|--|
| Applicant Name      | CHONGQING LIYANG INDUSTRY CO., LTD.                          |
| Application Address | Industry Area B, Huaxi Industry Park, Banan Dist., Chongqing |
| Applicant Post Code | 400000   |
| Applicant Telephone | +86-23-62571745  |
| Applicant Fax       | +86-23-62571745  |
| Applicant E-mail    | Battery619@126.com   |
| Supplier Name       | CHONGQING LIYANG INDUSTRY CO., LTD.                          |
| Supplier Address    | Industry Area B, Huaxi Industry Park, Banan Dist., Chongqing |
| Supplier Post Code  | 400000   |
| Supplier Telephone  | +86-23-62571745  |
| Supplier Fax        | +86-23-62571745  |
| Supplier E-mail     | Battery619@126.com   |

#### > Emergency Phone Number

|                        |                 |
|------------------------|-----------------|
| Emergency Phone Number | +86-23-62571745 |
|------------------------|-----------------|

### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the seventh revised edition):

#### > GHS Hazard Class

|                           |            |
|---------------------------|------------|
| Skin Corrosion/Irritation | Category 1 |
|---------------------------|------------|

**Eye Damage/Irritation** Category 1

### > GHS Label Elements

**Pictogram**



**Signal Word**

**Danger**

### > Hazard Statements

**H314** Causes severe skin burns and eye damage

**H318** Causes serious eye damage

### > Precautionary Statements

#### Prevention

**P260** Do not breathe dust/fume/gas/mist/vapours/spray.

**P264** Wash thoroughly after handling.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

**P310** Immediately call a POISON CENTER/doctor.

**P363** Wash contaminated clothing before reuse.

**P304+P340** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**P301+P330+P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

**P405** Store locked up.

#### Disposal

**P501** Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 3 Composition/Information on Ingredients

| Component      | Concentration (weight percent, %) | CAS No.   | EC No.    |
|----------------|-----------------------------------|-----------|-----------|
| Sulphuric acid | 38                                | 7664-93-9 | 231-639-5 |
| Water          | 62                                | 7732-18-5 | 231-791-2 |

## Section 4 First Aid Measures

### > Description of First Aid Measures

#### General Advice

Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

#### Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

#### Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

#### Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

|                                   |   |
|-----------------------------------|---|
| <b>Inhalation</b>                 | Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately. |
| <b>Protecting of First-aiders</b> | Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.  |

> **Most Important Symptoms and Effects, both Acute and Delayed**

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> **Indication of Any Immediate Medical Attention and Special Treatment Needed**

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

## Section 5 Fire Fighting Measures

> **Extinguishing Media**

**Suitable Extinguishing Media** Dry chemical, carbon dioxide or alcohol-resistant foam.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter or spread fire.

> **Specific Hazards Arising from the Substance or Mixture**

- 1 Fire may produce irritating, poisonous or corrosive gases.
- 2 Containers may explode when heated.
- 3 Fire exposed containers may vent contents through pressure relief valves.
- 4 May expansion or decompose explosively when heated or involved in fire.

> **Advice for Firefighters**

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

## Section 6 Accidental Release Measure

> **Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> **Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> **Methods and Materials for Containment and Cleaning Up**

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**> Precautions for Handling****Section 7 Handling and Storage**

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

**> Precautions for Storage**

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

**Section 8 Exposure Controls/Personal Protection****> Control Parameters****Occupational Exposure Limit Values**

| Component                   | Country/Region | Limit Value - Eight Hours |                   | Limit Value - Short Term |                   |
|-----------------------------|----------------|---------------------------|-------------------|--------------------------|-------------------|
|                             |                | ppm                       | mg/m <sup>3</sup> | ppm                      | mg/m <sup>3</sup> |
| Sulphuric acid<br>7664-93-9 | USA - OSHA     | -                         | 1                 | -                        | -                 |
|                             | South Korea    | -                         | 0.2               | -                        | 0.6               |
|                             | Ireland        | -                         | 0.05              | -                        | -                 |
|                             | Germany (AGS)  | -                         | 0.1               | -                        | 0.1               |
|                             | Denmark        | -                         | 1                 | -                        | 2                 |
|                             | Australia      | -                         | 1                 | -                        | 3                 |

**Biological Limit Values**

No information available

**Monitoring Methods**

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard) .

**> Engineering Controls**

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

**> Personal Protection Equipment****Eye Protection**

Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

**Hand Protection**

Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.

**Respiratory protection**

If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

**Skin and Body Protection** Wear fire/flame resistant/retardant clothing and antistatic boots.

## Section 9 Physical and Chemical Properties

**Appearance:** Colorless transparent liquid

**Odor Threshold:** No information available

**Melting Point/Freezing Point (°C):** No information available

**Flash Point (°C)( Closed Cup):** No information available

**Flammability:** Not applicable

**Vapor Pressure (MPa):** No information available

**Relative Density(Water=1):** No information available

**n-Octanol/Water Partition Coefficient:** No information available

**Decomposition Temperature (°C):** No information available

**Particle characteristics:** Not applicable

**Odor:** No information available

**pH:** ≤1

**Initial Boiling Point and Boiling Range (°C):** No information available

**Evaporation Rate:** No information available

**Upper/lower explosive limits[%(v/v)]:** Upper limit: No information available; Lower limit: No information available

**Relative Vapour Density(Air = 1):** No information available

**Solubility:** No information available

**Auto-Ignition Temperature(°C):** No information available

**Kinematic Viscosity (mm<sup>2</sup>/s):** No information available

## Section 10 Stability and Reactivity

**Reactivity** Contact with incompatible substances can cause decomposition or other chemical reactions.

**Chemical Stability** Stable under proper operation and storage conditions.

**Possibility of Hazardous Reactions** In contact with active metals (alkali metals, Na, Ca etc.) causes a reaction and release hydrogen.

**Conditions to Avoid** Incompatible materials, heat, flame and spark.

**Incompatible Materials** Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.

**Hazardous Decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 Toxicological Information

### > Acute Toxicity

| Component      | CAS No.   | LD <sub>50</sub> (Oral) | LD <sub>50</sub> (Dermal) | LC <sub>50</sub> (Inhalation, 4h) |
|----------------|-----------|-------------------------|---------------------------|-----------------------------------|
| Sulphuric acid | 7664-93-9 | 2140mg/kg(Rat)          | No information available  | No information available          |

### > Skin Corrosion/Irritation

Causes severe skin burns and eye damage(Category 1)

**> Serious Eye Damage/Irritation**

Causes serious eye damage(Category 1)

**> Skin Sensitization**

No information available

**> Respiratory Sensitization**

No information available

**> Germ Cell Mutagenicity**

No information available

**> Carcinogenicity**

| ID | CAS No.   | Component      | IARC       | NTP        |
|----|-----------|----------------|------------|------------|
| 1  | 7664-93-9 | Sulphuric acid | Category 1 | Not Listed |
| 2  | 7732-18-5 | Water          | Not Listed | Not Listed |

**> Reproductive Toxicity**

No information available

**> Reproductive Toxicity (Additional)**

No information available

**> STOT-Single Exposure**

No information available

**> STOT-Repeated Exposure**

No information available

**> Aspiration Hazard**

No information available

## Section 12 Ecological Information

**> Acute Aquatic Toxicity**

No information available

**> Chronic Aquatic Toxicity**

No information available

**> Others****Persistence and Degradability**

No information available

**Bioaccumulative Potential**

No information available

**Mobility in Soil**

No information available

**Results of PBT and vPvB Assessment**

Sulphuric acid does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Water does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

### Section 13 Disposal Considerations

**Waste Chemicals** Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

**Contaminated Packaging Disposal Recommendations** Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to section 13.1 and 13.2.

### Section 14 Transport Information

**Transporting Label**



**Marine pollutant** None

**UN Number** 2796

**UN Proper Shipping Name** SULPHURIC ACID with not more than 51% acid

**Transport Hazard Class** 8

**Transport Subsidiary Hazard Class** None

**Packing Group** II

### Section 15 Regulatory Information

#### > International Chemical Inventory

| Component      | EINECS | TSCA | DSL | IECSC | NZIoC | PICCS | KECI | AICS | ENCS |
|----------------|--------|------|-----|-------|-------|-------|------|------|------|
| Sulphuric acid | √      | √    | √   | √     | √     | √     | √    | √    | √    |
| Water          | √      | √    | √   | √     | √     | √     | √    | √    | ×    |

【EINECS】 European Inventory of Existing Commercial Chemical Substances.

【TSCA】 United States Toxic Substances Control Act Inventory.

【DSL】 Canadian Domestic Substances List.

【IECSC】 China Inventory of Existing Chemical Substances.

【NZIoC】 New Zealand Inventory of Chemicals.

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.

【KECI】 Existing and Evaluated Chemical Substances.

【AICS】 Australia Inventory of Chemical Substances.

【ENCS】 Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"×" That no data or included in the regulations

### Section 16 Additional Information

|                            |            |
|----------------------------|------------|
| <b>Creation Date</b>       | 2018/03/26 |
| <b>Revision Date</b>       | 2018/03/26 |
| <b>Reason for Revision</b> | -          |

**> Disclaimer**

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.