

MLT6 SERIES

Mobile Light Towers

GENERAC
MAGNUM



MLT6

MOBILE LIGHT TOWERS

Generac | Magnum MLT6 series mobile light towers are designed to provide maximum lighting and power with a minimal footprint. The newest addition to the MLT6 family, the MLT6SMD, features durable, energy efficient LED lights and a variable ECOSpeed™ engine, allowing for an extended runtime of up to 215 hours! The MLT6 series sets up in just one minute, and the rear flip hood provides unobstructed service access. Externally illuminated controls and rear LED trailer lights improve visibility and operator safety. With all of these features and more, the MLT6 series continues to lead the way in jobsite efficiency.

APPLICATIONS

- Construction
- Events
- General Rental
- Roadwork

MLT6SMD Features & Benefits

COST-EFFECTIVE

- Lower fuel consumption; save up to 50% in fuel costs, and less man hours to refuel
- Long service interval; less downtime

EASY TO USE

- Standard Power Zone Autolight Control offers programmable settings for automated control, including programmable start/stop; dusk-to-dawn settings
- Instant light; no warm up or cooldown waiting; quicker start-up

SAFER


- Low voltage on external mast cords
- Clean, steady export power; plug in anything - even sensitive electronics
- Lower emissions /carbon footprint for green applications

QUIET

- As low as 63dBA

DURABLE

- Generac® LEDs are very durable, consume less power and virtually maintenance-free




GENERAC® LEDs



DURABLE energy efficient LED lights, backed with a 5 year warranty (MLT6SMD)

PINCH GUARD protects and routes light cords



VERTICAL MAST for quicker, easier deployment and more compact storage

359° GROUND ROTATION MAST for total illumination on-site

MLT6S

LED trailer lights enhance jobsite visibility and safety

ERGONOMIC 2-handled manual winch standard; electric winch option

COMPACT STORAGE AND TRANSPORT SIZE; up to 19 towers on a 53' flatbed

CORROSION-PROOF POLY SHELL withstands tough applications and looks better longer



SPECIFICATIONS

Additional options available

	MLT6SM	MLT6SK	MLT6SMD
	USA (METRIC)		
Engine / Tier	Mitsubishi / T4	Kubota / T4	Mitsubishi / T4
Prime	10.5 hp @ 1800 RPM	11.7 hp @ 1800 RPM	10.5 hp @1800 RPM
Power: kW	6	6	6
Output: Amps	50	50	66
Fuel Tank Capacity: gal (L)	43 (162.77)	43 (162.77)	43 (162.77)
Fuel Consumption / 100% Prime: gph (Lph)	0.47 (1.78)	0.50 (1.89)	0.50 (1.89)
Run Time 100% Prime: hrs	91.5	86	86
Fuel Consumption / ECOSpeed™: gph (Lph)	N/A	N/A	0.20 (0.76)
Run Time ECOSpeed™: hrs	N/A	N/A	215
Mast Height, Deployed: ft (m)	23 (7.01)	23 (7.01)	23 (7.01)
Power Zone® Autolight Controller	Optional	Optional	Standard
Electric Winch	Optional	Optional	Optional
Light Fixtures	(4) 1,000W MH	(4) 1,000W MH	(4) 240W LED
Total Lumens	TBA	TBA	88,000
Illumination Coverage: acres (m²)	5 - 7 (20,234 - 28,328)	5 - 7 (20,234 - 28,328)	TBA
Dimensions, Stowed: in (m)	118 x 57 x 101 (3.0 x 1.45 x 2.6)	118 x 57 x 101 (3.0 x 1.45 x 2.6)	118 x 57 x 101 (3.0 x 1.45 x 2.6)
Weight, Wet: lbs (m)	1603 (727.11)	1623 (736.18)	1641 (744.35)



- POWERZONE® AUTOLIGHT CONTROLLER** with programmed controls, including dusk-to-dawn setting (Standard on MLT6SMD)
- ADVANCED TELEMETRY OPTIONS** allow for remote monitoring and location and recovery assistance
- EXTERIOR ILLUMINATED CONTROLS** and convenience outlets provide power for small tools and other electronics



MLT6S

GENERAC
MAGNUM



Looking for more light?

Generac | Magnum offers a full line of powerful, mobile lighting solutions for every need. For our complete line of light towers, visit GeneracMobileProducts.com.

24/7 • 365 Nationwide Service Support Network;
because when you're on the job, we're on the job.



**Assembled & Built
in the USA**