

## QwikPad for Generators Rated for 180 mph Hurricane Winds

# a lightweight, easy-to-install generator pad that meets wind loading requirements of 180 MPH and Higher!

and other Patents Pending

## **QwikPad**<sup>®</sup> for **Generators**

**Unfilled Weight 46 lbs Filled Weight** 330 lbs

- Rated for winds in excess of 180 MPH and **exceeds** Miami-Dade hurricane requirements.
- UV-resistant, highdurability construction is lightweight for shipping and 1-man handling but once filled, more than 50 lbs heavier than competitor's concrete pads.
- Contains a unique gelling agent that forms a solidus gel and provides freeze protection.
- Includes corrosion-resistant stainless steel mounting hardware specific to the mounted generator model.



### QwikPad for Generators Rated for 180 mph Hurricane Winds

#### OwikPad® for Generators

The Florida Building Code compliant generator support pad is lightweight when purchased, but weighs enough to meet code requirements of 180 mph + wind loading when filled with water and secured with stainless steel mounting bolts (supplied). Each pad includes a unique gelling agent that, once water is added, forms a solidus gel.

#### FLORIDA BUILDING CODE NOTICE

This product meets the following building code requirements:

- 1. **Mechanical Vol., Sect. 304.10 Clearances from Grade** This product provides 5" of clearance above adjoining grade.
- 2. Mechanical Vol., Sect. 301.15 Wind resistance Load combinations in accordance with the Florida Building Code, Building Vol. Ch. 16 and ASCE 7 – Ch. 2.

Wind pressure calculations performed per Florida Building Code- Ch. 16 and ASCE 7 - Ch. 29. For the most up-to-date documentation, visit our website, www.qwik.com/qwikpad4gen or call 1-800-866-3550.

#### Florida Product Approval #FL27646

This product has been tested by a nationally recognized, independent research and development laboratory and deemed compliant with Section 4.1.4 and Section A.4.1.4.1.2 of the Annex of NFPA 37 (2018), Standard for the Installation and Use of Stationary Combustion Engines and Gas Turbines.

Qwik <b>Pad</b> ® for <b>Generators P/N</b>	Description of Generator Model to be mounted
QT8200	Universal Pad (includes hardware for Generac/Honeywell, and Kohler)
QT8210	For <b>Briggs and Stratton</b> ® 17/20 kW Steel Enclosure Generators (hardware included)
QT8220	For <b>Briggs and Stratton</b> ® 20 kW Aluminum Enclosure Generators (hardware included)
QT8230	For <b>Generac/Honeywell®</b> 9-24 kW Generators (hardware included)
QT8240	For <b>Kohler</b> ® 14/20 kW RES/RCA Generators (hardware included)

For more details or information about the OwikPad® for Generators visit www.qwik.com/qwikpad4gen/ or email info@qwik.com

**Generac®** is a registered trademark of Generac Power Systems, Inc., **Honeywell®** is a registered trademark of Honeywell International, Inc. and is licensed for use by Generac Power Systems, Inc., **Briggs and Stratton**° is a registered trademark of Briggs and Stratton, **Kohler**° is a registered trademark of Kohler Co., Qwik**Products**° and Qwik**Pad**° are registered trademarks of Mainstream Engineering Corporation° Rockledge, Florida 32955, (321) 631-3550 © 2021 Mainstream Engineering Corporation®



U.S. Patent #10,557,589 and other Patents Pending

